

## CLAIMS

1. A method for accessing a session comprising:  
associating a user with said session; and  
5 presenting an authenticated token to access said session from a first terminal.
2. The method of claim 1 further comprising:  
presenting said authenticated token to access said session from a second terminal.
- 10 3. The method of claim 2 further comprising:  
sending a session disconnect signal to said first terminal; and  
routing input and output for said session to said second terminal.
- 15 4. The method of claim 1 wherein said step of associating comprises:  
authenticating an identity of said user.
5. The method of claim 4 wherein said step of authenticating comprises:  
obtaining a physical token assigned to said user.
- 20 6. The method of claim 4 wherein said step of authenticating comprises:  
obtaining a passphrase.
7. The method of claim 4 wherein said step of authenticating comprises:  
obtaining a biometric identifier.

25

8. The method of claim 7 wherein said biometric identifier is a finger print pattern.

9. The method of claim 7 wherein said biometric identifier is a retinal image.

5

10. The method of claim 1 wherein said step of associating comprises:  
converting an initial token to said authenticated token.

11. The method of claim 10 wherein said session is identified by said  
authenticated token.

12. A session accessing system comprising:  
an associating unit configured to associate a user with a session; and  
a first presenting unit configured to present said authenticated token to access said  
session from a first terminal.

13. The session accessing system of claim 12 further comprising:  
a second presenting unit configured to present said authenticated token to access  
said session from a second terminal.

20

14. The session accessing system of claim 13 further comprising:  
a messaging unit configured to send a session disconnect signal to said first  
terminal; and  
a routing unit configured to route input and output for said session to said second  
terminal.

25

15. The session accessing system of claim 12 wherein said associating unit comprises:

an authentication unit configured to authenticate an identity of said user.

5

16. The session accessing system of claim 15 wherein said authentication unit comprises:

a user interface configured to obtain a physical token assigned to said user.

17. The session accessing system of claim 15 wherein said authentication unit comprises:

a user interface configured to obtain a passphrase.

18. The session accessing system of claim 15 wherein said step of authenticating comprises:

a user interface configured to obtain a biometric identifier.

19. The session accessing system of claim 18 wherein said biometric identifier is a finger print pattern.

20. The session accessing system of claim 18 wherein said biometric identifier is a retinal image.

21. The session accessing system of claim 12 wherein said associating unit comprises:



26. The computer program product of claim 23 wherein said computer readable code configured to cause a computer to associate comprises:  
computer readable code configured to cause a computer to authenticate an identity of said user.

5

27. The computer program product of claim 26 wherein said computer readable code configured to cause a computer to authenticate comprises:  
computer readable code configured to cause a computer to obtain a physical token assigned to said user.

28. The computer program product of claim 26 wherein said computer readable code configured to cause a computer to authenticate comprises:  
computer readable code configured to cause a computer to obtain a passphrase.

29. The computer program product of claim 26 wherein said computer readable code configured to cause a computer to authenticate comprises:  
computer readable code configured to cause a computer to obtain a biometric identifier.

30. The computer program product of claim 29 wherein said biometric identifier is a finger print pattern.

31. The computer program product of claim 29 wherein said biometric identifier is a retinal image.

25

32. The computer program product of claim 23 wherein said computer readable code configured to cause a computer to associate comprises:

computer readable code configured to cause a computer to convert an initial token to said authenticated token.

5

33. The computer program product of claim 32 wherein said session is identified by said authenticated token.

09850017-051401  
T04750-2T085860